



Specifications (Effective date: 01 October 2010)

GaroSOL 110 (GR 18/99)

Property	Units	Minimum Value	Maximum Value	Typical Value	Test Method
Distillation Range	°C				ASTM D 86
- Initial Boiling Point		160	170	165	
- 50%				188	
- 95%				197	
- Dry Point		200	210	205	
Flash Point	°C	40		46	ASTM D 93
Mixed Aniline Point	°C	12	15	13	ASTM D 611
Aromatic Content	Wt%	99		99	
Colour	APHA		50		
Appearance		W/w			
Specific Gravity @ 30 °C		0.870	0.880	0.875	ASTM D 4052

These values are typical and only representing the value in our laboratory with our test methods performed on representative sample and not on actual product supplied. The specification may change without notice.